

# MarcellusGas.Org

## Document Disclaimer

The information contained in this document represents content obtained from the Pennsylvania Department of Environmental Protection. MarcellusGas.Org makes no claims whatsoever as to the accuracy, timeliness, or completeness of the information provided.

By downloading this document, you agree that you have accepted the terms and conditions set forth in the MarcellusGas.Org User Agreement located at:

[http://www.marcellusgas.org/terms\\_of\\_use.php](http://www.marcellusgas.org/terms_of_use.php)



Pennsylvania Department of Environmental Protection

2 Public Square  
Wilkes-Barre, PA 18711-0790  
September 9, 2009

Northeast Regional Office

570-826-2511  
Fax 570-830-3016



Re: Act 223, Section 208 Determination  
Complaint No. 263337  
Springville Township, Susquehanna County

Dear 

In response to your complaint, the Department has investigated the possible pollution of your water supply by oil or gas drilling activities.

On May 15 and July 7, 2009, I sampled your water supply. The samples were analyzed by our laboratory in Harrisburg, and I have included copies of the analysis reports for your use. Also enclosed is a fact sheet explaining maximum contaminant levels and interpretations of sample results as well as information on well disinfection.

The May 15 sample taken from your water well indicated concentrations of Iron, Manganese and Aluminum that exceed pre-drill and maximum contaminant levels. After reviewing the sample results and other information gathered during our investigation, the Department has determined that your water supply has been temporarily affected by drilling activities conducted by Cabot Oil and Gas, Inc.

The sample taken on July 7 indicates that your water supply has returned to pre-drill conditions. Please contact the Department if you notice any changes in your water.

If you have any other questions, please contact me.

Sincerely,



Michael T. O'Donnell  
Water Quality Specialist  
Oil and Gas Management

Enclosures